



Locust City Council Meeting Agenda Joel Huneycutt Community Room

7:00 PM

November 10, 2022

Mayor Council Members

Mayor Steve Huber
Mayor Pro-Tem Larry Baucom, Mandy Watson, Roger Hypes, Harry Fletcher, Mike Haigler, JC Burris and Rusty Efird

- | | | |
|---------------------|---|----------------|
| Call to Order: | 1. Call to Order | Mayor Huber |
| | 2. Presentation of Colors, Prayer | Mayor Huber |
| | 3. Adopt Agenda | |
| | 4. Minutes - adopt October 13, 2022 | Amy Furr |
| | • October 13, 2022 | |
| Reports: | 5. Financial Reports | |
| | • Financial Summary | |
| | 6. Mayor's Report | Mayor Huber |
| | • SRO Grant Update from Ms. Jennifer Flowe | |
| Department Reports: | 7. Administrator's Report | Cesar Correa |
| | • Update - Contract for Fire Services with West Stanly FD | |
| | • Update - Leaf Collection Services | |
| | • Purchase Orders | |
| | • Budget Amendments | |
| | 8. Administration/HR | Harry Fletcher |
| | 9. Parks | Mandy Watson |
| | • Update - RFQ for Master Plan Received | |
| | 10. Facilities | JC Burris |
| | 11. Public Works | Larry Baucom |
| | • Monthly Report | |
| | 12. ABC, Economic Development & Small Business Support | Rusty Efird |
| | 13. Public Safety | Roger Hypes |
| | • LPD Statistics for October 2022 | |

- LPD October Clearance Stats
- LPD Officer of the Month - October 2022

14. Planning & Zoning

Mike Haigler

- Monthly Report

15. Public Comment Period:

16. Board Closing Comments

17. Adjourn

Next Scheduled Council Meeting December 8, 2022



Locust City Council Meeting Minutes Joel Huneycutt Community Room

7:00 PM

October 13, 2022

**Mayor
Council Members**

Mayor Steve Huber
Mayor Pro-Tem Larry Baucom, Mandy
Watson, Roger Hypes, Harry Fletcher,
Mike Haigler, JC Burris and Rusty Efird

1. Call to Order

Call to order at 7:00pm

2. Presentation of Colors, Prayer

Council Member Roger Hypes gave the invocation

M/S/A Council Members Harry Fletcher and Roger Hypes (6-0)
Motion to excuse Council Member Mandy Watson

3. Adopt Agenda

M/S/A Council Members Larry Baucom and Harry Fletcher (6-0)
Motion to adopt agenda as presented

4. Minutes - adopt September 8, 2022

M/S/A Council Members Rusty Efird and Harry Fletcher (6-0)
Motion to adopt the September 8, 2022 minutes

Minutes - September 8, 2022

5. Financial Reports

Financials were reviewed by City Administrator Cesar Correa. The City received our property tax disbursement from both Stanly and Cabarrus Counties. The General Fund revenues currently exceed the expenditures by over 1.2 million and all signs indicate another successful year. The City continues to use ARPA funds for wastewater treatment. The funds this frees up in the wastewater fund will help cover the cost of the North Basin sewer improvements. This project should go out for bid by the end of October. The City also received the first Powell Bill distribution of \$72,802.05. This is approximately \$20,000 more than last year. The second disbursement comes in December and usually follows the first. We will have roughly an additional \$40,000 for paving repairs. The City received the fiscal year end disbursement from the ABC store. In addition to our monthly distributions of about \$26,426.33, we received an additional \$132,377.11. Our investments in the trust funds continue to

perform well. Sales tax revenue continues to be strong. Auditors are finishing up the draft audit and they should be at the November 2022 meeting to review the audit and answer any questions.

Financial Report - September 30, 2022

General Fund - Revenue & Expenditure Report - September 2022

Wastewater Fund - Revenue & Expenditure Report - September 2022

6. Mayor's Report

Mayor Huber read the proclamation for Breast Cancer Awareness Month and spoke about the "Sock it to Cancer" 5k the City is hosting on October 23rd. Police Chief Jeff Shew introduced the newest officer to the Police Department, Officer Timmy Hartsell and gave a brief history of his experience.

M/S/A Council Members Harry Fletcher and Michael Haigler (6-0)
Motion to adopt Breast Cancer Awareness Proclamation

Proclamation: Breast Cancer Awareness Month

Introduction of Police Officer Timmy Hartsell

7. Administrator's Report

Purchase orders and budget amendments were reviewed. The first leaf pick up will be November 19th. With the new company, leaves have to be in paper bags. There are a couple different options to cover leaf collection. The City can continue with the bagged system, to cover this service in house and either purchase or rent the equipment to collect or not offer it at all and allow the burning of leaves by residents. The City has purchased some paper bags for residents and you can come by City Hall and get (3) 30 gallon bags. Council Member Harry Fletcher wants to continue the bagged this year and then look into other options going forward. The City is considering purchasing holiday banners for the light poles in Town Center. Council would like to see what other vendors have available for banners. Buzzed Viking is looking to hold an event behind City Hall. This is not a City-sponsored event. They have submitted a special event application. This event required Council approval as they will be selling beer and possibly wine. They have acquired all necessary permits from the state and county and have gotten permission from the land owner and have secured off-duty officers to work the event. Last month, City Administrator Cesar Correa had a meeting with the West Stanley Fire Department (WSFD) regarding a possible fire service contract to provide services to all of the properties inside the city limits of Locust. Currently, the part of the City that is in Cabarrus county is served by the Midland Fire Department and the Georgeville Fire Department. If the Council is interested, City Administrator Cesar Correa would like to create a sub-committee to oversee the process. Council gave the direction to look into what the process would be and what is all involved and what the impact would be to the other fire districts. City Administrator Cesar Correa thanked his staff for all they do.

M/S/A Council Members Harry Fletcher and Rusty Efird (6-0)
Motion to approve purchase orders

M/S/A Council Members Harry Fletcher and Larry Baucom (6-0)

Motion to approve budget amendments

M/S/A Council Members Harry Fletcher and Rusty Efird (5-1)

Motion to approve the special event permit by Buzzed Viking
Council Member Roger Hypes is a "nay" vote

M/S/A Council Members Larry Baucom and Harry Fletcher (5-1)

Motion to table the discussion on the holiday banners for the light poles in Town Center
Council Member JC Burris is a "nay" vote

Contract for Fire Service by West Stanly Fire Department

Special Event Application - Buzzed Viking Halloween Party

Christmas banners for Town Center

Leaf Pick Up

Purchase Orders

Budget Amendments

8. Administration/HR

N/A

9. Parks

Parks Director Emily Jones and City Administrator Cesar Correa met with 2 different consultant companies with response to the RFQ for the Parks Master Plan.

10. Facilities

N/A

11. Public Works

PW Department doing a fantastic job.

Monthly Report - September 2022

12. ABC, Economic Development & Small Business Support

T-Mobile ribbon cutting on 10/14/22 and Jersey Mikes opened last week and is doing great. ABC store is doing really well.

13. Public Safety

Council Member Roger Hypes stated that the police officers present themselves in a professional manner and it is much appreciated along with the diligence of their leadership within the department. Monthly statistics show how much the police department is out and about and keeping an eye on the citizens and businesses of the City.

LPD Stats - September 2022

14. Planning & Zoning

Lots of building going on in Locust. 126 new housing permits as of the end of September.

Monthly Report - September 2022

15. Public Comment Period:

No one signed up to speak

16. Board Closing Comments


Thanks to everyone who came out tonight. Lots of exciting activities going on this month. Nice to ride through City Center and see all the business booming. Thanks to all the staff at the City for all they do. Urge people and citizens to come and participate in the Planning and Zoning meetings and the Council meetings to see the processes and learn about what all is going on. Mayor Huber introduced Jason Eury the newest P&Z Board Member alternate. If you ever have questions about what is going on, please feel free to reach out. The City of Locust prides itself on transparency. Thank you to all the Council Members for all you do. Thank you to Barry Sims for all you do for the City and will do. Remember to vote. Early voting will be here beginning October 20th.

17. Adjourn

M/S/A Council Members Harry Fletcher and Larry Baucom (6-0)
Motion to adjourn at 8:23pm

Amy Furr, City Clerk

Stephen Huber, Mayor



CITY OF LOCUST
FINANCIAL SUMMARY REPORT - October 31, 2022
FISCAL YEAR ENDING 6/30/2023

GENERAL FUND

	ACTUAL FY '20/21	CURRENT BUDGET	ACTUAL 6/30/2023	Y-T-D % COLLECTED
REVENUES				
PROPERTY TAXES	\$ 1,851,336	\$ 1,850,000	\$ 1,494,110	80.76%
VEHICLE TAXES/DMV VEHICLE FEES	\$ 39,576	\$ 35,000	\$ 12,470	35.63%
FRANCHISE TAXES	\$ 204,110	\$ 185,000	\$ 47,595	25.73%
SALES TAXES	\$ 1,052,817	\$ 1,000,000	\$ 396,531	39.65%
CABLE VISION FRANCHISE	\$ 17,482	\$ 17,500	\$ 5,483	31.33%
SOLID WASTE	\$ 247,112	\$ 250,000	\$ 187,613	75.05%
BUSINESS REGISTRATION/PERMITS	\$ 53,392	\$ 10,000	\$ 16,240	162.40%
POWELL FUND	\$ 107,134	\$ 105,100	\$ 72,804	69.27%
ALL OTHER REVENUES	\$ 416,562	\$ 361,000	\$ 493,753	136.77%
	\$ 3,989,521	\$ 3,813,600	\$ 2,726,601	71.50%

	ACTUAL FY '20/21	CURRENT BUDGET	ACTUAL 6/30/2023	Y-T-D % SPENT
EXPENDITURES				
GENERAL ADMINISTRATION GOV'T	\$ 549,410	\$ 636,322	\$ 234,570	36.86%
CENTRAL SERVICES	\$ 106,903	\$ 79,250	\$ 25,514	32.19%
PUBLIC SAFETY	\$ 1,311,065	\$ 1,460,234	\$ 487,501	33.39%
PUBLIC WORKS	\$ 688,218	\$ 475,069	\$ 122,607	25.81%
POWELL FUND/STREETS	\$ 109,143	\$ 206,820	\$ 36,041	17.43%
SANITATION	\$ 245,742	\$ 460,000	\$ 124,466	27.06%
PARKS & RECREATION	\$ 279,596	\$ 494,905	\$ 131,870	26.65%
CONTRIBUTION TO WASTE WATER FUND	\$ -	\$ -	\$ -	0.00%
CAPITAL PROJECT FUND	\$ -	\$ -	\$ -	0.00%
ECONOMIC DEVELOPMENT	\$ 10,267	\$ 1,000	\$ -	0.00%
TRANSFER TO WASTE WATER	\$ -	\$ -	\$ -	0.00%
DEBT SERVICE	\$ 248,692	\$ -	\$ -	#DIV/0!
GENERAL FUND RESERVE	\$ -	\$ -	\$ -	0.00%
	\$ 3,549,037	\$ 3,813,600	\$ 1,162,570	30.48%
Y-T-D FUND BALANCE INCREASE	\$ 440,483	\$ -	\$ 1,564,031	

Sales Tax Revenue Summary

May 2022	\$ 131,490.14	rec. 7/15/2022
June 2022	\$ 129,641.75	rec. 8/15/2022
July 2022	\$ 136,418.34	rec. 9/15/2022
Aug 2022	\$ 130,471.24	rec. 10/15/2022

ABC Income Summary

July 2022	\$ 26,426.33	
Aug 2022	\$ 29,570.83	incl - LEO 4qtr
Sept 2022	\$ 26,426.33	rec'd 10/3/2022
FYE 2022	\$ 132,377.11	rec'd 10/3/2022
FYE 2022	\$ 132,377.11	rec'd 10/17/2022
Oct 2022	\$ 20,338.90	rec'd 10/31/2022


WASTE WATER FUND


	ACTUAL FY '20/21	CURRENT BUDGET	ACTUAL 6/30/2023	Y-T-D % COLLECTED
REVENUES				
MISC INCOME	\$ 404	\$ 600	\$ 120	20.00%
INTEREST INCOME	\$ 201	\$ 1,572	\$ 14,724	936.61%
NEW DEV SEWER TAP FEES	\$ 280,000	\$ 100,000	\$ 65,000	0.00%
AVAILABILITY FEES	\$ 132,808	\$ 115,000	\$ 45,562	65.00%
USER FEES	\$ 1,258,115	\$ 1,000,000	\$ 506,912	50.69%
SYSTEM DEVELOPMENT FEE	\$ 264,530	\$ 100,000	\$ 65,000	39.62%
FUND BALANCE RESERVES	\$ -	\$ -	\$ -	0.00%
WASTEWATER RESERVES	\$ -	\$ -	\$ -	0.00%
OTHER FEE INCOME	\$ 290	\$ -	\$ 80	0.00%
	\$ 1,936,348	\$ 1,317,172	\$ 697,397	52.95%

	ACTUAL FY '20/21	CURRENT BUDGET	ACTUAL 6/30/2023	Y-T-D % SPENT
EXPENDITURES				
ADMINISTRATION	\$ 257,980	\$ 310,672	\$ 108,037	34.78%
WASTE COLLECTION & TREATMENT	\$ 679,242	\$ 902,629	\$ 46,243	5.12%
CAPITAL PROJ - REDAH/N BASIN PS	\$ 674,539	\$ 3,871	\$ 6,731	0.00%
TRANSFER CAPITAL RESERVE	\$ -	\$ 100,000	\$ -	0.00%
DEBT SERVICE	\$ -	\$ -	\$ -	0.00%
	\$ 1,611,761	\$ 1,317,172	\$ 161,011	12.22%
Y-T-D FUND BALANCE INCREASE	\$ 324,587	\$ -	\$ 536,386	0.00%

GENERAL FUND INVESTMENT POSITIONS

Total Fund Balance	6/30/2021
Stabilization by State Statute	\$ 230,698
Streets - Powell Bill	\$ 65,371
Nonspendable-USDA Reserves	\$ 88,000
Nonspendable-Prepaid Expenses	\$ 82,021
Assigned - LEOSSA Liability	\$ 475,663
Unassigned	\$ 3,027,322
Subtotal	\$ 3,969,075





City of Locust
Post Office Box 190
Locust, North Carolina 28097-0190
(704) 888-5260

Purchase Order Requests – 11/10/2022

Purchase Request # 4724

Clear Water Inc.

For: WW System Maintenance – Odor Control Main

Amount: \$1,295.00

Charge Code: 061-005-07400-53100 WW – Supplies

Remaining Budget: \$20,282.70

Purchase Request # 4727

Auto Parts of Locust

For: Tools for Public Works Facility – Fleet Program

Amount: \$2,193.09

Charge Code: 011-005-04400-55500 PW – Capital Outlay

Remaining Budget: \$30,280.17

Purchase Request # 4731

Chambers Engineering PA

For: Hopper S/D – Sewer Main Install/Inspect

Amount: \$1,492.23

Charge Code: 061-005-07400-52102 WW – Engineering Fees

Remaining Budget: \$11,564.32

Purchase Request # 4736


Ferguson Enterprises Inc.

For: WW System Main – SS Mainline Repair Supplies

Amount: \$1,090.00

Charge Code: 061-005-07400-53100 WW – Supplies

Remaining Budget: \$19,192.70



City of Locust
Post Office Box 190
Locust, North Carolina 28097-0190
(704) 888-5260

Purchase Order Requests – 11/10/2022

Purchase Request # 4738

Preferred Sources

For: WW Station Main – SP Main – W/MLS #9

Amount: \$3,883.00

Charge Code: 061-005-07400-53100 WW – Supplies

Remaining Budget: \$15,309.70

Purchase Request # 4739

BMS Holdings III Corp.

For: Library Roof & Sheetrock Repair

Amount: \$1,865.67

Charge Code: 011-005-04200-54260 Admin – Government Center

Remaining Budget: \$49,500.13

Purchase Request # 4744

Little Detroit Paint & Body

For: Police Vehicle Repairs

Amount: \$8,744.96

Charge Code: 011-005-04300-53105 Police – Motor Vehicle Expense

Remaining Budget: \$49,630.27

Purchase Request # 4748


Lawmen's

For: Police Ammunition

Amount: \$3,189.09

Charge Code: 011-005-04300-53110 Police – Weapon Supplies

Remaining Budget: \$1,260.91



City of Locust
Post Office Box 190
Locust, North Carolina 28097-0190
(704) 888-5260

Purchase Order Requests – 11/10/2022

Purchase Request # 4752


Source Inc.

For: WW Pumpstations telephone equipment upgrades

Amount: \$2,124.82

Charge Code: 061-005-07100-53504 WW – Telephone

Remaining Budget: \$10.83



City of Locust
Post Office Box 190
Locust, North Carolina 28097-0190
(704) 888-5260

Requested Budget Amendments 11/10/2022

General Fund

Line Item Transfers


Expenditures:

(\$260.00) 011-005-04400-52101 Public Works – Software Maint.

\$260.00 011-005-04400-53100 Public Works – Supplies

\$0.00 **Total Expenditure Increase**

CLDPW MONTHLY PRODUCTION REPORT



October 2022
City of Locust
Department of Public Works

CITY OF LOCUST
EQUIPMENT HOUR REPORT
Oct-21

Insurance #	Department	Vehicle ID	Location	Year	Vehicle Make & Model	Current Hours	Previous	Monthly Hours
0004	Public Works	PWT01	DPW Shop	1989	Ford 5610 2WD	2175	2173	2
0008	Public Works	PWT02	DPW Shop	2008	Farmtrac 675DTC 4WD	600	600	0
	Public Works	PWT04	DPW Shop	2021	Kubota B2601HSD	70	66	4
0018	Public Works	PWME02	DPW Shop		Bobcat 341	2267	2260	7
0015	Public Works	PWSS01	DPW Shop		Bobcat T190	3119	3116	2
0019	Public Works	PWUV02	DPW Shop	2011	Husqvarna 4421DXP 4WD	944	944	0
0009	Public Works	PWUV01	OJSMP/LAC	2002	JD Gator 2WD	4233	4227	6
0014	Public Works	PWUV03	OJSMP/LAC	2010	Toro	1530	1525	5
0026	Public Works	PWUV04	DPW Shop	2019	Polaris Ranger 500	435	423	12
0020	Public Works	ZTM01	DPW Shop	2012	Husqvarna PZ6029P	925	916	9
0021	Public Works	ZTM02	DPW Shop	2013	Husqvarna PZ6029P	847	838	9
	Public Works	ZTM03	DPW Shop	2021	Kubota D1011	225	210	15
0011	Public Works	PRZTM03	OJSMP/LAC		Hustler	1291	1288	3
0000	Public Works	TM03	LAC	2021	Toro Groundsmaster	112	109	2
0012	Public Works	FG01	LAC		Toro Sandpro	556	548	8
0027	Public Works	WJ01	DPW Shop	2019	Harben	68	65	3

Month Total Operation Hours:	88
------------------------------------	----

CITY OF LOCUST
VEHICLE MILEAGE REPORT
Oct-22

Department	Vehicle ID	Driver	Year	Vehicle Make & Model	Current Mileage	Previous Mileage	Monthly Mileage
Public Works	PW003	Jeremy Hartis	2007	Chevrolet 1500/2-Dr	141405	140905	500
Public Works	PW004	Shop	2001	Ford F-350/Bucket Truck	153145	153144	1
Public Works	PW005	Shop	2008	Chevrolet 2500/4-Dr	131356	130799	557
Public Works	PW006	Shop	2011	Chevrolet 2500/4-Dr	137922	137513	409
Public Works	PW007	Tim Flieger	2017	Ford F-250	55956	54885	1071
Public Works	PW008	Chris McLain	2019	Ford F-250/Service Body	27113	26425	688
Public Works	PW009	Robbie Pickler	2021	Ford F150	10701	10603	99
Public Works	PWD01	Shop	1991	GMC Dump Truck	94905	94904	1
Public Works	PWD02	Shop	2019	Ford F-350 Dump Truck	5258	5033	225
							0
							0
							0
							0
							0

Month Total Miles Driven: 3551

PUMP STATION	DESIGNED ULTIMATE PEAK FLOW(GPD)	SP#1 (hrs)	SP#2 (hrs)	SP#3 (hrs)	TOTAL (hrs)	ACTUAL AVG. FLOW(GPD) Based on sewer pump performance	ESTIMATED AVAILABLE CAPACITY	% OF USED CAPACITY	% OF USED CAPACITY (w/Peaking Factor)
BHVS#1	1,080,000	9.6	9.2	0.0	18.8	30,214.29		2.80%	6.99%
MCVS#2	1,080,000	35.8	41.0	0.0	76.8	123,428.57		11.43%	28.57%
200NLS#3	326,880	0.0	149.4	0.0	149.4	72,672.43		22.23%	55.58%
CVLS#4	429,120	62.1	58.4	0.0	120.5	142,017.86		33.10%	82.74%
RAVS#5	792,000	25.0	22.1	0.0	47.1	55,510.71		7.01%	17.52%
ESPS#6	1,224,000	21.5	23.9	0.0	45.4	82,692.86		6.76%	16.89%
LVLS#7	245,880	11.3	11.3	0.0	22.6	8,571.86		3.49%	8.72%
BLVS#8	129,600	14.0	14.6	0.0	28.6	5,515.71		4.26%	10.64%
WMVS#9	216,000	30.1	58.6	1.0	89.7	28,832.14		13.35%	33.37%
TCVS#10	191,520	24.3	20.2	0.0	44.5	12,682.50		6.62%	16.56%
TCNLS#11	504,000	11.2	11.6	0.0	22.8	17,100.00		3.39%	8.48%
MMVS#12	86,400	20.9	16.5	0.0	37.4	3,960.00		4.58%	11.46%

Recording Period: 10/03- 10/31/2022

SANITARY SEWER BASIN	ACTUAL AVERAGE FLOW(GPD)	FLOW MTR TOTAL FOR THE PERIOD RECORDED
BHVS#1	30,214.29	262,807.17
MCVS#2	123,428.57	
ESVS#3	82,692.86	
	236,335.71	

Definitions:

SP#-	Sewer Pump
GPD-	Gallons Per Day
BHVS#1-	Browns Hill Vacuum Station #1
MCVS#2-	Meadow Creek Vacuum Station #2
200NLS#3-	200N Lift Station #3
CVLS#4-	Creekview Lift Station #4
RAVS#5-	Redah Acre Lift Station#5
ESPS#6-	Elm St Pump Station #6
LVLS#7-	Locust Valley Lift Station #7
BLVS#8-	Bluffton Lane Lift Station #8
WMVS#9-	Wal-Mart Lift Station #9
TCVS#10-	Town Center Lift Station #10
TCNLS#11	Town Center North Lift Station #11
BHVS#1	Browns Hill Sanitary Sewer Basin #1
MCVS#2	Meadow Creek Sanitary Sewer Basin #
ESVS#3	Elm Street Sanitary Sewer Basin #3

**Locust Wastewater
Monthly Metering**


**Monthly
Wastewater Flow
Recordings**

<u>Date</u>	<u>Time</u>	<u>Meter</u>	<u>Daily Total</u>	<u>Recorded Rain Fall (")</u>
Saturday, October 1, 2022	11:59:59 PM	334592.0	334592.5	0.04
Sunday, October 2, 2022	11:59:59 PM	637853.9	303261.9	
Monday, October 3, 2022	11:59:59 PM	914423.9	276570.0	
Tuesday, October 4, 2022	11:59:59 PM	1176590.8	262166.9	
Wednesday, October 5, 2022	11:59:59 PM	1440916.4	264325.6	
Thursday, October 6, 2022	11:59:59 PM	1703293.3	262376.9	
Friday, October 7, 2022	11:59:59 PM	1966806.1	263512.8	
Saturday, October 8, 2022	11:59:59 PM	2237316.7	270510.6	
Sunday, October 9, 2022	11:59:59 PM	2524959.2	287642.5	
Monday, October 10, 2022	11:59:59 PM	2790121.1	265161.9	
Tuesday, October 11, 2022	11:59:59 PM	3045935.8	255814.7	
Wednesday, October 12, 2022	11:59:59 PM	3302344.8	256409.1	0.04
Thursday, October 13, 2022	11:59:59 PM	3554931.4	252586.6	
Friday, October 14, 2022	11:59:59 PM	3803151.1	248219.7	
Saturday, October 15, 2022	11:59:59 PM	4049573.9	246422.8	
Sunday, October 16, 2022	11:59:59 PM	4321389.2	271815.3	
Monday, October 17, 2022	11:59:59 PM	4571351.4	249962.2	
Tuesday, October 18, 2022	11:59:59 PM	4820121.1	248769.7	
Wednesday, October 19, 2022	11:59:59 PM	5074536.4	254415.3	
Thursday, October 20, 2022	11:59:59 PM	5332974.5	258438.1	
Friday, October 21, 2022	11:59:59 PM	5586333.3	253358.8	
Saturday, October 22, 2022	11:59:59 PM	5844576.7	258243.4	
Sunday, October 23, 2022	11:59:59 PM	6123234.9	278658.1	
Monday, October 24, 2022	11:59:59 PM	6391764.2	268529.4	
Tuesday, October 25, 2022	11:59:59 PM	6663801.1	272036.9	
Wednesday, October 26, 2022	11:59:59 PM	6918923.0	255121.9	
Thursday, October 27, 2022	11:59:59 PM	7182576.4	263653.4	
Friday, October 28, 2022	11:59:59 PM	7435658.3	253081.9	
Saturday, October 29, 2022	11:59:59 PM	7686400.2	250741.9	
Sunday, October 30, 2022	11:59:59 PM	7939068.6	252668.4	0.08
Monday, October 31, 2022	11:59:59 PM	8259261.8	320193.1	0.92
Monthly Total			8259262.3	1.08
Daily Average			266427.81	

**City of Locust Public Works
After Hours Monthly Callout Report**


October 2022

Date	Location/Reported Call	Responder(s)	Comments	Primary On-Call Teammate
Saturday, October 1, 2022	FM# 6- ESSSB/FM Failure	Chris McLain, Robbie Pickler, Caleb Whitley, Dave Keller, Rocky Hupp, Jeremy Hartis	Found FM blow out after SCU FM failure was repaired	Robbie Pickler
Saturday, October 22, 2022	MCVS#2/ LVA	Robbie Pickler	VP# 4 Tripped-Electrical Control Issue	Robbie Pickler
Saturday, October 29, 2022	MCVS#2/ LVA	Caleb Whitley	VP# 3 & #5 Tripped-Electrical Control Issue	Caleb Whitley
Sunday, October 30, 2022	112 Simpson Rd- VP# 715 MCVBSSSB/ HLA	Caleb Whitley	Lateral was waterlogged	Caleb Whitley
Sunday, October 30, 2022	BHVS#1/LVA	Caleb Whitley	Hung Valve @ VP# 265- Fernco came off	Caleb Whitley




CLDPW ACTIVITY REPORT

Activity	Asset	Notes	Labor Hours
Landscape Maintenance/Mow-Cleanup	Park DOT- Route III		4.50
Landscape Maintenance/Mow-Cleanup	Park DOT- MCBP		0.50
Landscape Maintenance/Mow-Cleanup	Non-Asset	Mow and blow Main st	10.00
Landscape Maintenance/Mow-Cleanup			15.00
Trash Cleanup	Park DOT- Route III	clean up Park too	4.00
Trash Cleanup	Park DOT- Route III		2.00
Trash Cleanup	Park DOT- Route III	pick up trash	2.00
Trash Cleanup	Pavement 208		1.00
Trash Cleanup	Pavement 208		1.00
Trash Cleanup	Park DOT- Route III		2.00
Trash Cleanup	Park DOT- Route III		1.50
Trash Cleanup	Park DOT- Route III		3.00
Trash Cleanup	Pavement 208		1.00
Trash Cleanup			17.50
City Beautification Resources Division			32.50




CLDPW ACTIVITY REPORT

Activity	Asset	Notes	Labor Hours
Building Maintenance	Facility PR-3	Deck Maintenance: Replace missing picket on deck, side facing field 2. Install new "i bolt" at bottom of deck stairs, the one for hanging the chain to block the stairs. The previous one fell out and is missing.	2.00
Building Maintenance			2.00
Capital Improvement	Non-Asset	***Install/Setup Vehicle Lift***	28.00
Capital Improvement	Facility GRD S-1	***Facility Improvement Project (Phase 3-Grounds) *** Expansion of the yard (Add Approx. 11000 sq ft) **13 loads of stone from S&F delivered to yard** 10/6-7	9.50
Capital Improvement			37.50
Clean	Facility PR-1		1.00
Clean	Facility PR-1		1.00
Clean	Facility PR-1	fountain filled up	0.25
Clean	Facility PR-1		1.00
Clean			3.25
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.00
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.00
Clean Restrooms	Facility PR-4		0.00
Clean Restrooms	Facility PR-5		0.00
Clean Restrooms	Facility PR-3		0.00
Clean Restrooms	Facility PR-3		0.00
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-5		0.50




Activity	Asset	Notes	Labor Hours
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-4		0.00
Clean Restrooms	Facility PR-5		0.00
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-3		0.00
Clean Restrooms	Facility PR-5		0.00
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.00
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-3		0.00
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-3		0.00
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-4		0.00
Clean Restrooms	Facility PR-5		0.00
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.00
Clean Restrooms	Facility PR-3		0.00
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-3		0.00
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-5		0.50




Activity	Asset	Notes	Labor Hours
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-4	fixed loose flush handle.	0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-5		0.00
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-5	Adjusted float on 3 toilets in which toilet tank water constantly rain drain. replaced broken tank cover	0.75
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-4	graffy removal on tile	0.75
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms	Facility PR-4		0.50
Clean Restrooms	Facility PR-3		0.50
Clean Restrooms	Facility PR-5		0.50
Clean Restrooms			30.50
Electrical Maintenance	Facility PW-2	Replace exterior light timer.	1.00
Electrical Maintenance			1.00
Janitorial Maintenance	Facility GC-1		1.00
Janitorial Maintenance	Facility GC-1		0.00
Janitorial Maintenance	Facility GC-1		1.00
Janitorial Maintenance	Facility GC-1		1.00
Janitorial Maintenance	Facility GC-1		1.00
Janitorial Maintenance	Facility GC-1		1.00
Janitorial Maintenance			5.00
Landscape Maintenance/Mow-Cleanup	Facility GRD S-1	mowed lawn trimmed tree line and cleared yard of limbs	4.00
Landscape Maintenance/Mow-Cleanup	Park P-20		8.00
Landscape Maintenance/Mow-Cleanup			12.00

Activity	Asset	Notes	Labor Hours
Lighting Maintenance	Facility GC-3	***Routine Lighting Inspection*** In library replaced 2 drop lights, one 4 ft light in stair well, and 1 can light, the can light still did not work when we changed the bulb. maybe a ballast issue. further investigation needed to see if we can access the ballast to remove. also changed one bulb in elevator in city hall. 10/6 removed ballast and light works	3.50
Lighting Maintenance			3.50
Miscellaneous Maintenance	Non-Asset	***Install bike rack @ the request of the library staff*** -Meet w/Cesar to discuss our plan @ 9am 5-25-2022 -Bike Rack ordered 6-3-2022 & delivered 6-6-2022 -Install schedule Pending	3.50
Miscellaneous Maintenance			3.50
Plumbing Maintenance	Facility GC-1	There is a water leak in the front office. We can hear the water dripping and the ceiling tile has a decent sized wet spot and is soft when Wendy stuck a ruler to it. *Appears wax seal is leaking. Turned off water and put sign on door. Will pull toilet in the am.* CM 9/28	5.00
Plumbing Maintenance			5.00
PM Service	HVAC Equipment HVAC-2	call Scott to open up.looking good	0.50
PM Service	HVAC Equipment HVAC-1	good	0.15
PM Service	HVAC Equipment HVAC-5	good	0.15
PM Service	HVAC Equipment HVAC-3	good	0.50
PM Service	HVAC Equipment HVAC-4	clean	0.15
PM Service			1.45
Safety Maintenance	Non-Asset	Check all decking boards for securement and quality. Check structure from underneath. fixed split board screwed down remaining loose boards	3.00
Safety Maintenance			3.00
Setup	Facility GC-2	Setup for council meeting *NOT before lunch*	1.00




Activity	Asset	Notes	Labor Hours
Setup			1.00
Special Event Maintennace	Non-Asset	***Pickup and store away chairs to make room for Early Voting Setup*** *****COMPLETE BEFORE LUNCH*****	1.00
Special Event Maintennace			1.00
Facility Resources Division			109.70




CLDPW ACTIVITY REPORT


Activity	Asset	Notes	Labor Hours
Equipment Maintenance (Misc.)	Equipment P W004	Replace hood support cylinders	1.00
Equipment Maintenance (Misc.)			1.00
PM Inspection Service	Equipment F G01		0.15
PM Inspection Service	Equipment P RZTM02		0.15
PM Inspection Service	Equipment P WZTM02	looks good,plug right rear tire and fix oil line to oil cooler last week.	0.15
PM Inspection Service	Equipment T M03		0.15
PM Inspection Service	Equipment P WUV01		0.15
PM Inspection Service	Equipment P RUV02		0.15
PM Inspection Service	Equipment P WZTM01	looks good	0.15
PM Inspection Service	Equipment P WZTM03	looks good	0.15
PM Inspection Service	Equipment P WUV01		0.15
PM Inspection Service	Equipment P RUV02		0.15
PM Inspection Service	Equipment P RZTM02		0.15
PM Inspection Service	Equipment F G01		0.18
PM Inspection Service	Equipment T M03	109.4 hrs fluids okay,tire pressure okay, Diesel full	0.15
PM Inspection Service	Equipment P WZTM02	good	0.15
PM Inspection Service	Equipment P WZTM01	good	0.15
PM Inspection Service	Equipment P WZTM03	good	0.15
PM Inspection Service	Equipment P RUV02	Fluids okay. rt. tire was slack Monday. filled up and seems to hold the air	0.25
PM Inspection Service	Equipment F G01	air filter dusted off, fluids okay tire pressure okay	0.25



Activity	Asset	Notes	Labor Hours
PM Inspection Service	Equipment P RZTM02	1288.8 hrs fluids okay, air filter dusted off, 1 tank full unless off road	0.25
PM Inspection Service	Equipment T M03	Fluids okay/air filter okay, coolant on low level mark. no fluid on site. texted Chris	0.15
PM Inspection Service	Equipment P WUV01	Fluids okay, tire pressure okay, air filter dusted off	0.25
PM Inspection Service	Equipment P WZTM02	good	0.15
PM Inspection Service	Equipment P WZTM03	good	0.15
PM Inspection Service	Equipment P WZTM01	good	0.15
PM Inspection Service	Equipment T M03		0.18
PM Inspection Service	Equipment P RUV02	rt. tire leak	0.15
PM Inspection Service	Equipment F G01	rt tire leak	0.15
PM Inspection Service	Equipment P RZTM02	rt. tire slow leak	0.18
PM Inspection Service	Equipment P WUV01		0.15
PM Inspection Service	Equipment P WZTM03	will need to change tires side to side do to turning. all other good.	0.15
PM Inspection Service	Equipment P WZTM02	good	0.15
PM Inspection Service	Equipment P WZTM01	right hydro make sounds. fluid good.	0.15
PM Inspection Service	Equipment P WUV01	gear linkage was harder than usual to get in gear finally found sweet spot. fluids okay. low on gear oil	0.00
PM Inspection Service	Equipment P RZTM02	rt. tire slow leak. checked still good pressure from earlier in week. fluids okay	0.25
PM Inspection Service	Equipment P RUV02	rt. tire slow leak. fluids okay	0.28
PM Inspection Service	Equipment F G01	Slow leak in rt. tire. filled early week, fluids okay	0.28
PM Inspection Service	Equipment T M03	antifreeze on low level cold (Chris said it was okay at that level) other fluids okay, tire pressure okay	0.25
PM Inspection Service			6.35
Repair	Equipment P WD02	replace rear tail lights and grease dump body	3.00
Repair			3.00




Activity	Asset	Notes	Labor Hours
Service Electrical System	Equipment P W003	Replace Blower motor connector. look at truck and found broken pigtail. 10/5/22 put pigtail on.	1.00
Service Electrical System			1.00
Service Hydraulic System	Equipment E M04	Repair right tilt cylinder. pull off and give to Tim. 10/14/22 got part back and put on. ordered fluid for machine. grease machine too. 10/19/22 put in fluids.	6.00
Service Hydraulic System	Equipment P WZTM01	fix hydro line to hydro unit. sitting on machine will be the left one. fix the coupler.	2.00
Service Hydraulic System			8.00
Fleet Resources Division			19.35




CLDPW ACTIVITY REPORT


Activity	Asset	Notes	Labor Hours
Advertising/Sign Maintenance	Non-Asset	***Take sponsorship sign (Kerri Efird Bike Run) from Field 3 to Bondo Innovations for reprint***.	0.50
Advertising/Sign Maintenance	Non-Asset	***Take (Steadfast Motors) 4x8 sign from Field 3 to Bondo to be recovered*** 10/21/22****Called Emily left message to ensure I was taking correct advertising sign. Request stated field 3. No sign on field 3. not sure if sign was already picked up by Bondo. There is another Steadfast on field 2 in which I am waiting on a response to ensure of correct advertising sign****	0.56
Advertising/Sign Maintenance			1.06
Clean	Park P-11		0.50
Clean	Park P-10		0.50
Clean	Park P-11		0.50
Clean	Park P-11		0.50
Clean	Park P-10		0.50
Clean	Park P-11		0.50
Clean			3.00
Clean/Blowoff	Park P-11	Blow off all walkways and pick up all debris	1.00
Clean/Blowoff	Park P-10	Blow off all walkways and pick up all debris	1.00
Clean/Blowoff	Athletic Space TC-1	Assess tennis courts, if possible, blow water off of court. The courts are rented tonight for private use. Please give recommendation for use.	0.50
Clean/Blowoff			2.50
Field Maintenance/ Practice Setup	Athletic Space BSF-2	***Field Schedule for Wednesday 9/28*** F2 - ozone practice	0.00
Field Maintenance/ Practice Setup	Athletic Space BSF-4	***Field Setup Wed 10/5*** F4 - darlings practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-3	***Field Setup Wed 10/5*** F3 - 60' bases no mound practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-2	***Field Setup Wed 10/5*** F2 - 60' bases no mound practice	0.50




Activity	Asset	Notes	Labor Hours
Field Maintenance/ Practice Setup	Athletic Space BSF-1	***Field Setup Wednesday 10/12*** F1 - Darlings practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-2	***Field Setup Wednesday 12 2022*** Field 2 - 60' bases no mound practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-3	***Field Setup Wednesday 12 2022*** Field 3 - 60' bases no mound practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-3	***Field Setup Wednesday 10/19*** F3 - 60' bases no mound practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-2	***Field Setup Wednesday 10/19*** F2 - 60' bases no mound practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-1	***Field Setup Wednesday 10/19*** F1 - Darlings practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-4	***Field Schedule Thursday 10/20*** F4 - 60' bases no mound	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-1	***Field Schedule Thursday 10/20*** F1 - darlings practice	0.50
Field Maintenance/ Practice Setup	Athletic Space BSF-3	***Field Schedule Wednesday 10/26*** F3 - 60' bases no mound practice	0.50
Field Maintenance/ Practice Setup			6.00
Field Maintenance/Game Setup	Athletic Space BSF-1	***Field Schedule Tuesday 9/27*** F1 - t-ball game	0.00
Field Maintenance/Game Setup	Athletic Space SF-2	***Field Schedule Saturday 9/24*** All soccer fields for soccer games	0.00
Field Maintenance/Game Setup	Athletic Space SF-1	Field Schedule Saturday 10/1 All soccer fields for games	0.00
Field Maintenance/Game Setup	Athletic Space SF-1	***Field Schedule Saturday 9/24*** All soccer fields for soccer games	0.00
Field Maintenance/Game Setup	Athletic Space SF-2	Field Schedule Saturday 10/1 All soccer fields for games	0.00
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Schedule Monday 10/3*** F2 - minors game and then ozone game	1.00




Activity	Asset	Notes	Labor Hours
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Setup Tuesday 10/4*** F2 - minors game and then ozone game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-1	***Field Setup Tuesday 10/4*** F1 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-3	***Field Setup Tuesday 10/4*** F3 - coach pitch game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-4	***Field Setup Tuesday 10/4*** F4 - t-ball game	0.50
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Setup Thursday 10/6*** F2 - minors game and then ozone game	1.00
Field Maintenance/Game Setup	Athletic Space SF-1	***Thursday, October 6th*** Upper full field - CCS high school soccer game	0.50
Field Maintenance/Game Setup	Athletic Space BSF-4	***Field Setup Thursday 10/6*** F4 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-3	***Field Setup Thursday 10/6*** F3 - coach pitch game	1.00
Field Maintenance/Game Setup	Athletic Space SF-1	***Field Setup Saturday 10/8*** All soccer fields for games	0.25
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Setup Friday 10/7*** F2- Ozone game	1.00
Field Maintenance/Game Setup	Athletic Space SF-2	***Field Setup Saturday 10/8*** All soccer fields for games	0.28
Field Maintenance/Game Setup	Athletic Space BSF-3	***Field Setup Friday 10/7*** F3 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-1	***Field Setup Tuesday 10/11*** F1 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-3	***Field Setup Tuesday 10/11*** F3 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space SF-2	***Field Setup Tuesday 10/11*** Lower soccer field for games	2.00




Activity	Asset	Notes	Labor Hours
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Setup Tuesday 10/11*** F2 - coach pitch game and then minors game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-4	***Field Setup Tuesday 10/11*** F4 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-4	***Field Setup Thursday 10/13*** F4 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-3	***Field Setup Thursday 10/13*** F3 - coach pitch games	2.00
Field Maintenance/Game Setup	Athletic Space SF-2	***Field Setup Thursday 10/13*** Lower soccer field for games	0.25
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Setup Thursday 10/13*** F2 - ozone games	1.50
Field Maintenance/Game Setup	Athletic Space BSF-1	***Field Setup Thursday 10/13*** F1 - minors game	1.50
Field Maintenance/Game Setup	Athletic Space BSF-1	***Field Setup Friday 10/14 F1 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space SF-1	***Field Setup Saturday 10/15*** All soccer fields for games	0.28
Field Maintenance/Game Setup	Athletic Space SF-2	***Field Setup Saturday 10/15*** All soccer fields for games	0.28
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Setup Tuesday 10/18*** F2 - ozone game and then minors game	1.00
Field Maintenance/Game Setup	Athletic Space SF-1	***Field Setup Monday 10/17*** Upper full soccer field - CCS soccer game	1.50
Field Maintenance/Game Setup	Athletic Space BSF-3	***Field Setup Tuesday 10/18*** F3 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-1	***Field Setup Tuesday 10/18*** F1 - t-ball game	1.00
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Setup Thursday 10/20*** F2 - minors game and then ozone game	1.00




Activity	Asset	Notes	Labor Hours
Field Maintenance/Game Setup	Athletic Space SF-1	***Field Setup Saturday 10/22*** All soccer fields for games	1.50
Field Maintenance/Game Setup	Athletic Space BSF-3	***Field Setup Thursday 10/20*** F3 - coach pitch game	1.00
Field Maintenance/Game Setup	Athletic Space SF-2	***Field Setup Saturday 10/22*** All soccer fields for games	1.50
Field Maintenance/Game Setup	Athletic Space BSF-2	***Field Schedule Tuesday 10/25*** F2 - minors game and then ozone game	1.00
Field Maintenance/Game Setup	Athletic Space SF-2	***Field Schedule Saturday 10/29*** All soccer fields for games	0.25
Field Maintenance/Game Setup	Athletic Space SF-1	***Field Schedule Saturday 10/29*** All soccer fields for games	0.25
Field Maintenance/Game Setup			35.34
Landscape Maintenance/Edge-Cleanup	Park P-10		2.00
Landscape Maintenance/Edge-Cleanup			2.00
Landscape Maintenance/General Duties	Park P-10	Begin fall pruning in the isolated beds. DK cut all low Branch's on the out side tree line in Park. do to wether told not to do. (tim)	1.00
Landscape Maintenance/General Duties	Park P-11	Begin fall pruning in the isolated beds. DK cut out side tree limbs that are low. do to wether told not to do.(tim)	1.00
Landscape Maintenance/General Duties			2.00
Landscape Maintenance/Mow-Cleanup	Park P-21		1.00
Landscape Maintenance/Mow-Cleanup	Park P-20		7.00
Landscape Maintenance/Mow-Cleanup	Park P-10	Mow, Blow, Weedeat	3.00
Landscape Maintenance/Mow-Cleanup	Park P-11	Mow, Blow, Weedeat	5.00
Landscape Maintenance/Mow-Cleanup	Park P-11		4.50
Landscape Maintenance/Mow-Cleanup	Park OS- 28		1.00
Landscape Maintenance/Mow-Cleanup	Park P-10		5.00




Activity	Asset	Notes	Labor Hours
Landscape Maintenance/Mow-Cleanup	Park P-10		3.50
Landscape Maintenance/Mow-Cleanup	Park P-11		5.00
Landscape Maintenance/Mow-Cleanup			35.00
Memorial Maintenance	Park 33		0.00
Memorial Maintenance	Park 33	weed control, fill fountain	0.50
Memorial Maintenance	Park 33		0.00
Memorial Maintenance	Park 33	fill fountain	0.25
Memorial Maintenance	Park 33	fill fountain	0.25
Memorial Maintenance	Park 33	fill fountain	0.25
Memorial Maintenance	Park 33		0.25
Memorial Maintenance	Park 33		0.00
Memorial Maintenance	Park 33		0.00
Memorial Maintenance	Park P-21	Low voltage light broken at Veterans Memorial . Last pole on the left	3.00
Memorial Maintenance	Park 33	fill fountain/pull weeds	0.25
Memorial Maintenance	Park 33	fill fountain	0.25
Memorial Maintenance	Park 33	Trimmed unwanted sprigs growing out of shrubbery	0.50
Memorial Maintenance	Park 33		0.50
Memorial Maintenance	Park 33	fill fountain	0.25
Memorial Maintenance	Park 33		0.00
Memorial Maintenance	Park 33	fountain filled up	0.25
Memorial Maintenance	Park 33		0.00
Memorial Maintenance	Park 33		0.25
Memorial Maintenance	Park 33	fill fountain. weed pull	0.25
Memorial Maintenance	Park 33		0.25
Memorial Maintenance	Park 33	Fountain unplugged for weekend. p/u trash	0.25
Memorial Maintenance	Park 33		0.00
Memorial Maintenance	Park 33	fill fountain	0.28
Memorial Maintenance	Park 33	fill fountain. weed control	0.25
Memorial Maintenance	Park 33		0.25
Memorial Maintenance	Park 33	fill fountain	0.25
Memorial Maintenance	Park 33	fill fountain	0.25
Memorial Maintenance			8.78
Miscellaneous Maintenance	Non-Asset	***Parking Management-SEE REQUESTOR's NOTE BELOW*** Place cones (in concession stand) along street/grass on Lions Club Dr. (extending line of barrels).	2.00



Activity	Asset	Notes	Labor Hours
Miscellaneous Maintenance	Non-Asset	***Parking Management-SEE REQUESTOR's NOTE BELOW*** Pick up barrels from Lions Club Drive/Locust Granite Tile Remove parking signs on street/grass only and take to Bondo to be recovered. Leave the signs in front of Locust Granite/Tile. Leave the signs that say "No Parking Anytime" Collect only signs that say "Private Property/Park Property"	3.00
Miscellaneous Maintenance			5.00
Service	Park Amenity 2		0.00
Service	Park Amenity PAM-11		0.00
Service	Park Amenity 1		0.00
Service	Park Amenity PAM-3		0.00
Service	Park Amenity PAM-11	**Inspect and Clean ASAP** ****SEE NOTE FROM REQUESTOR**** Please empty the pet waste station, replace the bags, and tidy up any trash/debris that may be within or around the dog park.	0.25
Service	Park Amenity PAM-11		0.15
Service	Park Amenity PAM-3		0.15
Service	Park Amenity 1		0.15
Service	Park Amenity 2		0.15
Service	Park Amenity PAM-11		0.25
Service	Park Amenity 2		0.25




Activity	Asset	Notes	Labor Hours
Service	Park Amenity PAM-3		0.25
Service	Park Amenity 1		0.25
Service	Park Amenity PAM-11		0.25
Service	Park Amenity 1		0.25
Service	Park Amenity PAM-3		0.25
Service	Park Amenity 2		0.25
Service	Park Amenity 2		0.20
Service	Park Amenity PAM-11		0.28
Service	Park Amenity PAM-3		0.25
Service	Park Amenity 1		0.20
Service			3.78
Setup	Park OS- 28		0.50
Setup	Park OS- 28		0.25
Setup	Park OS- 28		0.28
Setup	Park OS- 28		0.50
Setup			1.53
Sign Maintenance/ Installation	Park DOT- Route II	clean signs.cut back brush.see number of signs missing.	7.00
Sign Maintenance/ Installation	Park DOT- Route I	clean up signs, cut tree limbs and brush off road side.s tighten up signs.made list to fix signs.	6.00
Sign Maintenance/ Installation			13.00
Soccer Goal Maintenance	Non-Asset	***Per Hunter's Request- Repair soccer nets with zip tie on mid-size goals***	2.00
Soccer Goal Maintenance			2.00
Park and Recreations Resources Division			120.99




CLDPW ACTIVITY REPORT

Activity	Asset	Notes	Labor Hours
Dead Animal Cleanup	Non-Asset	***Dead skunk cleanup in the middle of the road*** Between 111 Maple and N. Central Ave ***Checked area and did not find any skunk in road or ditch line -rh	0.50
Dead Animal Cleanup			0.50
Investigate/General	Pavement Area 2	***Requestor indicates that the low spot near the MH has gotten worse. Investigate and evaluate whether it has or not and then decide if action is warranted***. need to do something. it is caved the size of 14' by 6'. it has a patch in the middle.	1.00
Investigate/General			1.00
Miscellaneous Maintenance	Non-Asset	***Move Key box from maintenance room downstairs into park office. Sticky note on wall for placement.***	0.75
Miscellaneous Maintenance			0.75
Sign Maintenance/ Installation	Non-Asset	***Order/Install Parking Signs*** 10-12-2022-TCF-Contacted our sign manufacturer to begin the manufacturing process	1.50
Sign Maintenance/ Installation			1.50
Street Blade Sign Maintenance	Non-Asset	***Straighten pole and Install New Street Blade Signs** * straightened st signs as best we could requested for new signs. sign will be replaced at later date.	2.00
Street Blade Sign Maintenance			2.00
Trash Cleanup	Non-Asset	***Cleanup Trash (broken glass) in the Roadway cleaned up as best as I could with a broom and dustpan, most of it was pulverized before I arrived	0.50
Trash Cleanup			0.50
Public Works			6.25




CLDPW ACTIVITY REPORT

Activity	Asset	Notes	Labor Hours
Radar Speet Sign/Maintenance	Equipment R SS-1	replaced dead batteries in the sign.	0.50
Radar Speet Sign/Maintenance			0.50
Shoulder Maintenance	Pavement 2 38	Get 2 tons of ABC non spec from quarry and fill 2 low d riveway entrances.	2.00
Shoulder Maintenance			2.00
Transportation Resources Division			2.50




CLDPW ACTIVITY REPORT


Activity	Asset	Notes	Labor Hours
AH Miscellaneous Service Call	Sewer Manhole 715	checked the vacuum pits along Simpson and everything worked correctly when I checked it	2.00
AH Miscellaneous Service Call			2.00
AH Sanitary Sewer Station Service Call	Sewer Facility VPS-2	responded to LVA, upon arrival found 2 vps not operating. vp4 break was tripped. vp3 nothing was tripped just was not operating. spoke to Chris and he suggested I run the pump leads to the controls for vp2 in the cabinet. I did that and it is working as it should. we will address the issues with vp2 controls on Monday.	1.00
AH Sanitary Sewer Station Service Call	Sewer Facility VPS-2	***AH Callout for LVA*** Found VP#3 & #5 tripped on arrival. Reset them and all is good.	2.00
AH Sanitary Sewer Station Service Call	Sewer Manhole 268	the fernco was blown off fixed it but the controller needs to be replaced tried to replace it but none of mine worked so have to check it out in the morning also the clean out was broken off and top was missing 10-31-22 Dave and Rocky went back to the pit and put controller on pit is working correctly now clean out is fixed	3.00
AH Sanitary Sewer Station Service Call	Sewer Facility VPS-1	***LVA Callout*** after I got the call I went and checked Carolina Christians pit and nothing was off or howling went to station to make sure everything was running properly and it was after that went hung valve hunting found it on 202 Brentwood	0.50
AH Sanitary Sewer Station Service Call			6.50
AH Sanitary Sewer System Service Call (NR SSO)	Sewer Main 6	Force main break 100ft from station, Bell joint split. Used 2 6in Hymax fittings and 35.5in of C900 pipe. Bedded back in stone and covered. Ran MCVS in hand to clear out system and Caleb put back in auto Saturday dinner time.	63.00
AH Sanitary Sewer System Service Call (NR SSO)			63.00
Annual Calibration	Sewer Manhole 831	***Calibration w/Clearwater*** Clearwater Service Tech Needed to Postpone and He'll Reschedule -Rescheduled for 9-29-2022	0.50
Annual Calibration			0.50



Activity	Asset	Notes	Labor Hours
Clean	Sewer Main 146		1.80
Clean	Sewer Main 144		1.80
Clean	Sewer Main 147		1.80
Clean	Sewer Main 140		1.50
Clean	Sewer Main 142		1.50
Clean	Sewer Main 145		1.80
Clean	Sewer Main 141		1.50
Clean	Sewer Main 143		1.80
Clean			13.50
Collections (Deliver Notices)	Non-Asset	***Deliver 38 (thirty-eight) Notices***	5.00
Collections (Deliver Notices)			5.00
Collections (Markout Disconnects)	Non-Asset	***Mark out Disconnects*** Completed 6 RH	1.00
Collections (Markout Disconnects)			1.00
Conduct Drawdown Test	Sewer Facility LS-06	***Collect drawdown data on both pumps for Chambers Engineering***	1.50
Conduct Drawdown Test			1.50
Electrical Maintenance	Sewer Facility LS-03	re hang security lights, and also replace the light on top of the cabinet.	3.00
Electrical Maintenance	Sewer Facility LS-05	went to diagnosis the run time differences between pumps (sp1 much shorter than normal, sp2 higher than normal). determined bad timer in the control cabinet. Tim has one on order. will get it installed as soon as it comes in. 10/20 parts on order, will be here early next week. 10/25 replaced bad timer with new one. tested and all appears to be back in working order.	1.50




Activity	Asset	Notes	Labor Hours
Electrical Maintenance	Sewer Facility LS-09	Found issue with starter, put station in duplex until next week. 4/20 Replaced burnt contactor and tested. Pump was pulling 60 amps and should only be pulling 20-31FLA. Planning to pull ASAP to check for debris in impeller. Also keeping an eye on the PLC... possibly not acting correctly, producing 8v to sp3 at all times. CM	1.50
Electrical Maintenance			6.00
Grounds Maintenance	Sewer Facility LS-05	clean up leaves and tree	2.00
Grounds Maintenance	Sewer Facility LS-03	mowing, clean up leaves and tree limbs	1.00
Grounds Maintenance	Sewer Facility VPS-1	mowing, leaf clean up and tree limbs	2.00
Grounds Maintenance	Sewer Facility LS-04	mowing, clean up tree limbs and leaves	1.00
Grounds Maintenance	Sewer Facility LS-09	mowing, clean up leaves and tree	2.30
Grounds Maintenance			8.30
Install	Sewer Pump VP-12	Setup and install *9/19/2022 CW and RH went and got the pump fastened to the floor, had to go to Ace and buy bolts to complete the process.* *Finished set-up with Todd H. help. Tested and put online.* CM	9.00
Install			9.00
Landscape Maintenance/General Duties	Sewer Facility VPS-2	we mowed and weedeated the area removed leaves from within station fence cleaned out water drainage trench	4.00
Landscape Maintenance/General Duties			4.00
Odor Control Maintenance	Sewer Manhole 212	***Install New Carbon System***	0.40
Odor Control Maintenance			0.40
Odor Control Maintenance/Cartridge Replacement	Sewer Manhole 214	***PM Service***	0.40




Activity	Asset	Notes	Labor Hours
Odor Control Maintenance/Cartridge Replacement	Sewer Manhole 832		0.40
Odor Control Maintenance/Cartridge Replacement	Sewer Manhole 213	***PM Service***	0.40
Odor Control Maintenance/Cartridge Replacement	Sewer Manhole 215	***PM Service***	0.40
Odor Control Maintenance/Cartridge Replacement			1.60

Activity	Asset	Notes	Labor Hours
RH Sanitary Sewer Customer Service Call	Sewer Pump GP-23	9/19....This morning while Todd was here looking at Morgan Meadows I picked his brain about what could be going on. Todd says the homeowner should have a 30 amp breaker on the house and feeds 10/3(not sure on that lingo). I went by to check out everything on our end this morning. Once I arrived Ashley(homeowner) was there. I checked to see if we had power coming in for the pump and we did not, I turned the breakers off in the cabinet and we went and checked his breaker box on the side of the house. Breaker was tripped on the house. While there noticed he only had a 20 amp breaker in his box and advised him of what Todd had told me. We went back out to the controls and i confirmed power, which we then had, and flipped the breakers back on. Pump and alarm came on as it should, I tested pump amps while it was running and it was pulling 6 amps. The pump is rated at 8 FLA. I also noted that we had 15 amp breakers in the control box. At this point I advised the homeowner he should try changing the breaker on the side of the house from the 20 amp to the 30 amp based on the recommendation of Todd. Homeowner stated he was going to call his electrician and see about getting the breaker changed and we would go from there. 9/20....homeowner calls me around 10am stating that his breaker on the side of the house has tripped again and will not reset. myself and rocky went to check out everything. same issues as previous no power when we got there to the pump. cut our breakers off and went to reset the home breaker, it reset and stayed about 20 second and tripped again(without our pump running). waited a couple minutes then reset again and it held this time. went and confirmed power was getting to our pump and tested our pump. everything ran at it should, pulling 6 amps while running. while the pump was running the breaker on the house tripped again and it did not spike amps on the pump. we reset everything and finished pumping it down. once the pump was off i confirmed power and the breaker was not tripped when we left. getting back to shop had a conversation with Tim and we decided our next course of action is to get Todd out to check everything out on our end. i called Todd and have him scheduled to be out here tomorrow(9/21) morning to check everything out for us. called the homeowner to let them know and will also call them in the morning when we are on the way out there. he is going to try and get his electrician out here as well.	2.00


Activity	Asset	Notes	Labor Hours
		9/21 Met with Todd to test our pump out, he is confident our pump is good to go. he ohmed out the service line and believes the issue is in the ground from the house to the pump. spoke with homeowner and they are going to run a temp power line above ground to see if the issue goes away or stays. if it goes away they will bury a new service if the issue continues to be consistent we will continue to work together in finding out the issue.	
RH Sanitary Sewer Customer Service Call	Non-Asset	***Investigate a report of a potential backup between the main and service connection*** there is no backup, but there is a belly in the line	0.50
RH Sanitary Sewer Customer Service Call			2.50
RH Sanitary Sewer Station Service Call	Sewer Facility VPS-1	***Responded to HLA Call***	0.50
RH Sanitary Sewer Station Service Call	Sewer Facility LS-07	responded to HLA. when I first arrived pumps were not running in auto. switched in hand and the ran and moved material. once pumped down visually inspected floats, cleaned floats and reset, also tested floats by hand to make sure working properly. later in the day Dave and Caleb went back by to check and make sure everything was still good. found station backup up but not in HL. I arrived and we determined bad lead float. we replaced the float with a new one . tested and appears to work fine.	4.00
RH Sanitary Sewer Station Service Call			4.50
RH Sanitary Sewer System Service Call	Sewer Manhole 673	***Investigate Requestors Report of Sewer Smell*** buffer tank was full of sewer, called AL Lowder to come out and pump out for us. rocky got down in to work on it, found a grease build up in sump tube so it wouldn't move material. cleared the obstruction and got everything working as it should.	4.50
RH Sanitary Sewer System Service Call			4.50
Routine Station Check	Sewer Facility LS-05		0.50
Routine Station Check	Sewer Facility LS-08		0.50
Routine Station Check	Sewer Facility LS-04		0.50
Routine Station Check	Sewer Facility LS-09		0.50




Activity	Asset	Notes	Labor Hours
Routine Station Check	Sewer Facility LS-12		0.50
Routine Station Check	Sewer Facility LS-11		0.50
Routine Station Check	Sewer Facility VPS-1		0.50
Routine Station Check	Sewer Facility VPS-2		0.50
Routine Station Check	Sewer Facility LS-10		0.50
Routine Station Check	Sewer Facility LS-06		0.50
Routine Station Check	Sewer Facility LS-03		0.00
Routine Station Check	Sewer Facility LS-07		0.50
Routine Station Check	Sewer Facility VPS-2		0.21
Routine Station Check	Sewer Facility LS-03		0.21
Routine Station Check	Sewer Facility VPS-1		0.21
Routine Station Check	Sewer Facility LS-07		0.21
Routine Station Check	Sewer Facility LS-04		0.21
Routine Station Check	Sewer Facility LS-05		0.21
Routine Station Check	Sewer Facility LS-09		0.21




Activity	Asset	Notes	Labor Hours
Routine Station Check	Sewer Facility LS-11		0.21
Routine Station Check	Sewer Facility LS-06		0.21
Routine Station Check	Sewer Facility LS-08		0.20
Routine Station Check	Sewer Facility LS-10		0.21
Routine Station Check	Sewer Facility LS-12		0.20
Routine Station Check	Sewer Facility VPS-2		0.29
Routine Station Check	Sewer Facility VPS-1		0.29
Routine Station Check	Sewer Facility LS-10		0.29
Routine Station Check	Sewer Facility LS-11		0.29
Routine Station Check	Sewer Facility LS-12		0.29
Routine Station Check	Sewer Facility LS-06		0.29
Routine Station Check	Sewer Facility LS-03		0.29
Routine Station Check	Sewer Facility LS-07		0.29
Routine Station Check	Sewer Facility LS-08		0.29
Routine Station Check	Sewer Facility LS-05		0.29




Activity	Asset	Notes	Labor Hours
Routine Station Check	Sewer Facility LS-09		0.30
Routine Station Check	Sewer Facility LS-04		0.30
Routine Station Check	Sewer Facility LS-12		0.21
Routine Station Check	Sewer Facility LS-09		0.21
Routine Station Check	Sewer Facility LS-08		0.21
Routine Station Check	Sewer Facility LS-03		0.21
Routine Station Check	Sewer Facility LS-06		0.21
Routine Station Check	Sewer Facility LS-10		0.21
Routine Station Check	Sewer Facility VPS-2		0.21
Routine Station Check	Sewer Facility LS-11		0.21
Routine Station Check	Sewer Facility LS-07		0.21
Routine Station Check	Sewer Facility VPS-1		0.21
Routine Station Check	Sewer Facility LS-04		0.20
Routine Station Check	Sewer Facility LS-05		0.20
Routine Station Check	Sewer Facility LS-09		0.30



Activity	Asset	Notes	Labor Hours
Routine Station Check	Sewer Facility LS-06		0.30
Routine Station Check	Sewer Facility LS-05		0.30
Routine Station Check	Sewer Facility VPS-1		0.25
Routine Station Check	Sewer Facility LS-11		0.30
Routine Station Check	Sewer Facility LS-08		0.30
Routine Station Check	Sewer Facility LS-03		0.30
Routine Station Check	Sewer Facility LS-10		0.30
Routine Station Check	Sewer Facility LS-12		0.30
Routine Station Check	Sewer Facility LS-04		0.30
Routine Station Check	Sewer Facility LS-07		0.30
Routine Station Check	Sewer Facility VPS-2		0.50
Routine Station Check			17.75
Service Connection Inspection (Final)	Non-Asset	***603 Church St Lot 93*** passed, signed permit at city hall	0.50
Service Connection Inspection (Final)	Non-Asset	***104 Sweetfern Lane Lot 30*** ***Verified address with Scott, this house has been lived in for quite a while. -rh	0.50
Service Connection Inspection (Final)	Non-Asset	***612 Church St Lot#65*** passed, signed permit at city hall	0.25
Service Connection Inspection (Final)	Non-Asset	***638 CHURCH ST, LOCUST LOT# 61*** passed, signed permit at city hall	0.25
Service Connection Inspection (Final)	Non-Asset	***645 CHURCH ST LOCUST NC 28097 LOT 100*** passed, signed permit at city hall	0.25



Activity	Asset	Notes	Labor Hours
Service Connection Inspection (Final)	Non-Asset	***146 James Ave- Jeremiah Ice*** *Pass* CM	0.50
Service Connection Inspection (Final)			2.25
Service Connection Inspection (Re-Inspection)	Non-Asset	***11765 Glenwood Dr Lot 113 reinspection*** passed, signed permit at city hall	0.25
Service Connection Inspection (Re-Inspection)			0.25
Utility Locate Request(s)	Sewer Facility O-01	10/3 completed 18 locate request 10/4 completed 4 locate request 10/6 completed 26 locate request 10/10 completed 26 locate request 10/12 completed 6 locate request 10/17 completed 7 locate request 10/20 completed 18 locate request 10/24 completed 27 locate request 10/26 completed 23 locate request	13.50
Utility Locate Request(s)			13.50
Wet Well Maintenance	Sewer Facility VPS-1	received a high level alarm, went and saw a heavy fluff/cake in wet well causing the floats to just ride up. contacted Brandon from AL Lowder to get it cleaned out here around 10am.	0.75
Wet Well Maintenance			0.75
Wastewater Resources Division			168.30



CLDPW ACTIVITY REPORT

Activity	Asset	Notes	Labor Hours
Utility Locate Request(s)	Non-Asset	***Conduct Locate for Potential Private Fence Install***	0.38
Utility Locate Request(s)	Non-Asset	***Conduct Locate for Potential Private Fence Install***	0.37
Utility Locate Request(s)			0.75
Zoning/Code Enforcement			0.75



LOCUST POLICE DEPARTMENT CRIME STATISTICS



OCTOBER 2022

INCIDENTS/OFFENSES

Note – Total incident reports generated number will be lower than number of offenses/incidents listed. This is due to there being multiple offenses within one report on some occasions. Incident reports are generally documented when any interaction with the public or an enforcement action is made on a dispatched call.

Escorts Provided (General, Business Closing, Child Custody Exchange, Funeral) – 26
Alarm Calls (Business, Residential) – 18
Vehicle Traffic Violations (Resulting In Other Charges, Arrests, Vehicle Towed, Etc.) – 18
Assist EMS/Fire Department – 16
Disturbances (General, Domestic) – 13
Larceny From Business (Misdemeanor, Felony, Concealment) – 13
Drug Offenses (Investigations, Citations, Arrests) – 9
Investigation Calls (General, 911 Hang-Ups, Suicide Threats, Open Doors, Etc.) – 9
Suspicious Activity (Activities, Vehicles, Persons) – 8
Calls For Service (Various Community Service Reasons, Animal Complaints, Etc.) – 6
Mutual Aid Given (Help Given To Other Agencies) – 5
Arrest Warrants/Processes Served (Failure To Appear, Subpoenas Etc.) – 4
Counterfeiting/Fraud (Forgery, Obtain By False Pretense, Identity Theft, Etc.) – 4
Damage To Property Calls (Residential, Business, Vehicle, Minor Vehicle Crashes) – 4
Larceny From/Of Vehicle (Misdemeanor, Felony, B&E, Motor Vehicle Theft, Etc.) – 4
Harassment (Phone Calls, Communicating Threats, Etc.) – 3
City Ordinance Violation Calls/Investigations – 2
K-9 Use (Use Of Department Or Other Jurisdiction K-9) – 2
Weapons Offenses (Unlawful Carry Concealed, Possession Firearm By Felon, Etc.) – 2
Assaults (Simple, Affray, Domestic, Etc.) – 1
Death Investigation (Non-Criminal, Unattended Death, Suicide, Etc.) – 1
Illegal Activity (Resist, Delay, Obstruct, All Other) – 1
Trespassing (1st, 2nd Degree) – 1

Alcohol Charges (All Other) – 0
Assist Motorist (Stranded, Keys Locked In Vehicle, Tire, Etc.) – 0
Breaking & Entering/Larceny Residence Or Person (Attempted, Misdemeanor, Felony, Larceny After B&E) – 0
Driving While Impaired (Alcohol, Illegal Substances, Provisional, Drive After Consuming, Etc.) – 0
Juvenile Violations (Juvenile Offenses, Contributing To Delinquency, Etc.) – 0
Missing Persons (Reported, Found) – 0
Murder(Completed/Attempted)/Crime-Involved Death – 0
Property Calls (Lost, Found) – 0
Serious Larceny/Crimes From Business, Residence, Person (Common Law, Armed Robbery, Kidnapping Etc.) – 0
Sex Offenses (Attempted Or Completed Rape, Indecent Liberties, Crimes Against Nature, Etc.) – 0
Vandalism (Defacement, Arson, Etc.) – 0

TOTAL OFFENSES – 170

INCIDENT REPORTS GENERATED – 140

AVERAGE DAILY INCIDENT REPORTS DOCUMENTED – 4.5

AREA PATROLS/CHECKS

Business Checks – 1,320
Neighborhood Checks – 939
Suspicious Vehicles – 17
Special Investigations – 2
Suspicious Persons – 2
House Checks – 1

TOTAL AREA/SECURITY CHECKS – 2,281

DAILY AREA/SECURITY CHECKS AVERAGE – 73.6

ARRESTS/OFFENSE CHARGES/COUNTS

Misdemeanor Larceny – 4
Failure To Appear – 3
Resist, Delay, Obstruct – 3
Communicating Threats – 2
Larceny Defeating Anti-Theft Device – 2
Trespassing – 2
Breaking & Entering – 1
Concealed Weapon Violation – 1
Driving While License Revoked – 1
Flee To Elude Arrest – 1
Motor Vehicle Larceny/Possession – 1
Possession Drug Paraphernalia – 1
Possession Of Methamphetamine – 1
Possession Of Firearm By Felon – 1
Warrant Service – 1

TOTAL ARREST CHARGES – 25

DAILY JAIL COMMIT ARREST CHARGES AVERAGE – 0.8

CITATIONS

Speeding – 50
Expired Registration – 25
No Operator's License – 21
Driving While License Revoked – 19
Stop Sign/Light Violations – 13
Inspection Violations – 11
Driver's License Violations – 7
Revoked Registration – 6
Fictitious Registration – 5
Misdemeanor Larceny – 5
No Insurance – 5
Vehicle Equipment Violations – 5
No Registration – 4
Possession Drug Paraphernalia – 4
Unsafe Movement/Passing – 4
Careless & Reckless Driving – 3
Child Restraint Violations – 3
Possession Schedule VI – 3
Open Container Alcohol Violations – 2
Speeding In School Zone – 2
Concealed Weapon Violation – 1
Driver Seat Belt Violations – 1
Fail To Reduce Speed – 1
Following Too Close – 1

Lane Violations – 1
Possession Stolen Goods – 1

TOTAL – 203

DAILY CITATION CHARGES ISSUED AVERAGE – 6.6

DOCUMENTED TRAFFIC STOPS WITH WARNINGS ISSUED – 172

SPEEDING WARNINGS ISSUED – 44

TRAFFIC CRASHES

Crashes Reported – 18

Approximated Total Damage - \$64,600 (\$3,589 Total Avg. Per Crash)

Injuries Reported – 2 Minor Injuries Reported

2020 Through October – 153, 2021 – 152, 2022 – 163, Difference – +10 (Since 2020), +11 (Since 2021)

Street Or Highway – 15

West (9)

- West Main Street At Locust Avenue – 2
- West Main Street At 118 West Main Street
- West Main Street At Renee Ford Road
- West Main Street Near Tucker Street
- Meadowcreek Church Road At 1204 West Main Street
- Brown's Hill Road At Commercial Boulevard (Two Vehicles/Deer)
- West Main Street At/Near Red Bridge Boulevard
- Red Bridge Boulevard At 1876 West Main Street

North (4)

- North Central Avenue At East Main Street (Central/Main Intersection)
- North Central Avenue At 816 North Central Avenue
- North Central Avenue Near Rodney Street (Single Vehicle/Deer)
- Meadowcreek Church Road At Wildflower Drive (2 Minor Injuries)

East (1)

- East Main Street At South Central Avenue (Central/Main Intersection)

South (1)

- South Central Avenue At West Main Street (Central/Main Intersection)

Parking Lot (Public Vehicular Area) – 3

West (3)

- 1004 West Main Street (Food Lion)
- 102 Stanly Parkway (SCC-Crutchfield)
- 1876 West Main Street At West Main Street

TOTALS

TOTAL MONTHLY DEPARTMENT ACTIVITIES
(INCIDENTS/INVESTIGATIONS, CHARGES, CITATIONS, WARNINGS, AREA
CHECKS, TRAFFIC CRASHES)

2,839*

*EXCLUDED – DISPATCHED CALLS NOT RESULTING IN A REPORT GENERATED
AND OTHER OFFICER COMMUNITY ACTIVITIES/DUTIES NOT REPORTED*

MONTHLY DAILY ACTIVITIES AVERAGE

EXCLUDING ABOVE

91.6



Locust Police Department
Locust, NC

Jeff B. Shew
Chief of Police
jbsheiw@locustnc.com

Kevin R. O'Connor
Assistant Chief of Police
kroconnor@locustnc.com

Department Clearance Statistics THROUGH October 2022

*Statistics are based on department produced incident reports only

Agency

Total reported incidents – 1,527

Total open incidents – 45

Total closed incidents (Excluding leads exhausted) – 1,435

Leads exhausted/inactive incidents – 48

Other circumstance incidents – 1,193

(Incidents that are non-criminal, or criminal allegations but disposed as unfounded, victim refused, etc.)

Total closed percentage (Excludes leads exhausted incidents) – 93.9% (-0.3% From Previous Month)

Total criminal incidents (Resulting in arrest, leads exhausted, or inactive) – 291

Total criminal incidents cleared by arrest – 243

Total cleared by arrest percentage – 83.5% (-0.1% From Previous Month)

Total property crime/fraud incidents – 237

Total open property crime/fraud incidents – 36

Total leads exhausted property crime/fraud incidents – 44

Cleared property crime/fraud incidents (Arrest or other satisfactory disposition) – 157

Total cleared property crime/fraud percentage – 66.2% (-1.1% From Previous Month)

YEAR TO YEAR COMPARISON (Through September Of Given Year)

Category	October 2018	October 2019	October 2020	October 2021	October 2022
Reported Incidents	1,352	1,431	1,588	1,502	1,527
Confirmed Criminal Incidents	284	298	332	300	291
Property Crime/Fraud Incidents	188	229	284	223	237
Total Closed %	92.4%	94.4%	92.3%	94.3%	93.9%
Cleared By Arrest %	73.6%	75.8%	79.5%	80.3%	83.5%
Cleared Property Crime/Fraud %	64.9%	68.6%	64.8%	65%	66.2%



Locust Police Department
Locust, NC

Jeff B. Shew
Chief of Police
jbshe@locustnc.com

Kevin R. O'Connor
Assistant Chief of Police
kroconnor@locustnc.com

OFFICER OF THE MONTH

2022

January: Officer Josh D. Gardner
February: Sergeant Chad A. Whitley
March: PO2 Jared M. Smith
April: Corporal Dwayne A. Dietz
Officer Josh D. Gardner
May: Corporal Dwayne A. Dietz
Officer Ryan M. Tran-Thompson
June: Officer Josh D. Gardner
July: Corporal Dwayne A. Dietz
PO2 Robert S. Godek
August: Detective Sergeant Brittany Tucker
September: PO2 Josh D. Gardner
Officer Adam L. Hartsell
October: Officer Timmy J. Hartsell
November:
December:



Locust Police Department
Locust, NC

Jeff B. Shew
Chief of Police
jbshe@locustnc.com

Kevin R. O'Connor
Assistant Chief of Police
kroconnor@locustnc.com

OFFICER OF THE MONTH

OCTOBER 2022



Officer Timmy J. Hartsell

For October, Officer Timmy Hartsell completed 302 business and neighborhood patrols, issued 50 citation charges, and 21 warnings, and also added 2 arrest charges. Officer Hartsell completed 55 traffic stops and took 19 incident reports.

Also in October, Officer Hartsell who has extensive traffic crash reconstruction/investigation training contributed to the betterment, success, and overall function of the department by drawing/designing location diagrams for five major crash locations in Locust to be used by all Locust officers when completing crash reports.

Planning and Zoning

October 2022

9 New House permits

SDH, Robusto, MHC.

2 Rooftop Solar

3 Pool

2 Fence

1 Commercial up fit

AT&T Store

3 Signs

1 Storage

135 New Housing permits as of 10/31/2022